

DTIC FILE

USAARL Report No. 90-13



AD-A227 583




## Prevalence of Spectacle Wear Among U.S. Army Aviators

By

Robert H. Schrimsher  
Universal Energy Systems

and

Morris R. Lattimore  
Sensory Research Division



August 1990

Approved for public release; distribution unlimited.

United States Army Aeromedical Research Laboratory  
Fort Rucker, Alabama 36362-5292

## Notice

### Qualified requesters

Qualified requesters may obtain copies from the Defense Technical Information Center (DTIC), Cameron Station, Alexandria, Virginia 22314. Orders will be expedited if placed through the librarian or other person designated to request documents from DTIC.

### Change of address

Organizations receiving reports from the U.S. Army Aeromedical Research Laboratory on automatic mailing lists should confirm correct address when corresponding about laboratory reports.



### Disposition

Destroy this report when it is no longer needed. Do not return to the originator.


### Disclaimer

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation. Citation of trade names in this report does not constitute an official Department of the Army endorsement or approval of the use of such commercial items.

Reviewed:

  
\_\_\_\_\_  
THOMAS L. FREZELL  
LTC, MS  
Director, Sensory Research  
Division  
\_\_\_\_\_  
DENNIS F. SHANAHAN  
LTC, MC  
Chairman, Scientific  
Review Committee

Released for publication:

  
\_\_\_\_\_  
DAVID H. KARNEY  
Colonel, MC  
Commanding

assified

ITY CLASSIFICATION OF THIS PAGE

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

REPORT SECURITY CLASSIFICATION assified		1b. RESTRICTIVE MARKINGS	
SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION AVAILABILITY OF REPORT	
DECLASSIFICATION/DOWNGRADING SCHEDULE		Approved for public release; distribution unlimited	
FORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
URL Report No. 90-13			
NAME OF PERFORMING ORGANIZATION Army Aeromedical Research Laboratory	6b. OFFICE SYMBOL (if applicable) SGRD-UAS-VS	7a. NAME OF MONITORING ORGANIZATION U.S. Army Medical Research and Development Command	
ADDRESS (City, State, and ZIP Code) Box 577 Rucker, AL 36362-5292		7b. ADDRESS (City, State, and ZIP Code) Fort Detrick Frederick, MD 21702-5012	
NAME OF FUNDING / SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (if applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO. 62787A	PROJECT NO. 3M1627 87A879
		TASK NO. BG	WORK UNIT ACCESSION NO. 171

TLE (Include Security Classification)

valence of Spectacle Wear Among U.S. Army Aviators

PERSONAL AUTHOR(S)

ert H. Schrimsher and Morris R. Lattimore

TYPE OF REPORT

al

13b. TIME COVERED

FROM TO

14. DATE OF REPORT (Year, Month, Day)

1990 August

15. PAGE COUNT

23

PPLEMENTARY NOTATION

COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) advanced avionic and electro-optical systems, prevalence of spectacle wear, spectacle incompatibility, system/hardware planning
FIELD	GROUP	SUB-GROUP	
05	09		
06	04		

ABSTRACT (Continue on reverse if necessary and identify by block number)

> The advanced avionic and electro-optical systems installed within Army rotary wing craft are becoming increasingly incompatible with spectacle wear. Therefore, the valence of spectacle wear among Army aviators is an important factor to take into account the development of future systems. A review of spectacle prevalence data within the ation Epidemiology Data Register (AEDR) for the years 1986, 1987, 1988, and 1989 was formed. Data were consistent across all four years, with mean prevalence of spectacle being 22.25 percent for active component forces. Over the same four-year period, erve and National Guard forces displayed mean specta'e-wear prevalences of 27 percent 32 percent, respectively. These prevalence rates are higher than those previously ained in 1985 by a similar but slightly different paradigm. The prevalence of presbyopic

CONTINUED

DISTRIBUTION / AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
NAME OF RESPONSIBLE INDIVIDUAL ef. Scientific Information Center		22b. TELEPHONE (Include Area Code) (205) 255-6907	22c. OFFICE SYMBOL SGRD-UAX-SI

orm 1473, JUN 86


Previous editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE  
Unclassified

# 19. ABSTRACT (Continued)

aviators by this query is also higher than previous appraisals. In conclusion, spectacle-wearing aviators exist in greater numbers than previously documented, and represent a segment of the aviation population that will have increasing compatibility problems with advanced flight systems. Therefore, system planners will need to address these incompatibilities in future hardware developments.

Accession For	
NTIS	CRA&I <input checked="" type="checkbox"/>
DTIC	TAB <input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution	
Availability Codes	
Dist	Availability of Special
A-1	



## Table of contents

Introduction.....	3
Methods.....	4
Results and discussion.....	5
Active component.....	5
Comparison to earlier data.....	7
Army reserve.....	7
National guard.....	8
Presbyopia prevalence.....	9
Summary.....	11
References.....	12
Appendix A.....	13
Appendix B.....	14
Appendix C.....	15
Appendix D.....	16
Appendix E.....	17
Appendix F.....	18
Appendix G.....	19
Appendix H.....	20
Appendix I.....	22
Appendix J.....	23

## List of illustrations

Figure 1. Percent of active duty aviators wearing spectacles from 1986-1989.....	6
Figure 2. Percent of reserve aviators wearing spectacles from 1986-1989.....	8
Figure 3. Percent of national guard aviators wearing spectacles from 1986-1989.....	9

## List of tables

Table 1. Percentages by component of flight applicants wearing spectacles from 1986-1989.....	7
Table 2. Percentages of components exhibiting presbyopia for 1989.....	10

This work was supported by the U.S. Army Medical  
Research and Development Command under Contract No.  
DAMD17-86-C-6215.

=====

This page intentionally left blank.

=====

## Introduction

Recent technological advances have had a major impact on military aviation. While modern methods of providing visual information via electro-optics/visionic systems have extended the aviator's operational envelope, these devices are becoming increasingly incompatible with spectacle wear. Currently, the U.S. Army Aeromedical Research Laboratory (USAARL) is conducting a research project concerning the feasibility of routine use of extended wear contact lenses by Army aviators on a world wide basis (Lattimore and Cornum, 1989). However, the long-term use of contact lenses may not be practical for all aviators. As a result, organizational planning for possible alternatives to contact lens wear is necessary. In order to ensure the development of viable planning options, it is important that accurate spectacle wear prevalence data are routinely available.

Information regarding numbers of aviators who wear spectacles within the Department of Defense (DoD) is limited. Only until recently have any approximations and estimates been published. Bachman (1989) quoted an unpublished presentation (Price, 1985) stating that approximately 18 percent of all Army aviators wear corrective lenses. A recent U.S. Air Force sample survey (Miller et al., 1990) estimated that 27 percent of the Air Force pilots wear spectacles. About 19 percent of the Navy's pilots require some type of correction (National Research Council, 1990). According to discussions with Navy Aerospace Medical Institute (NAMI) personnel, a survey now is being formulated to update spectacle usage among naval aviators.

Currently, contact lenses are prohibited from being worn by Army aviators and aircrew while performing flight duties. However, specific waivers have been granted to certain air crewmembers participating in The Army Surgeon General approved, controlled research studies (Bachman, 1985; Lattimore, 1988; Lattimore and Cornum, 1989). The current policy (Implementation plan, 89-73) within the Air Force is that pilots may wear contact lenses while performing flight duties. The Tactical Air Command (TAC) pilots may obtain lenses at Air Force expense, while Military Airlift Command (MAC) and Strategic Air Command (SAC) pilots may obtain contact lenses at their own expense.

Beginning in 1983, the U.S. Army Aviation Epidemiology Data Register (AEDR) was developed as a joint effort of USAARL and the U.S. Army Aeromedical Activity (USAAMA) at Fort Rucker, Alabama. The AEDR is a permanent, computer-accessible repository of medical information on the entire Army aviation population. This automated database system provides information pertinent to:

1. The development and evaluation of aviation medical selection and retention standards;
2. The conduction of epidemiologic studies on health risk factors;
3. And the provision of a model for the natural history of disease in the aviation environment.

The AEDR also allows for the assessment of health hazards in the aviation environment and for the provision of human factors input to engineers developing aircraft, weapons, and life support equipment. The purpose of this study, therefore, was to determine the actual prevalence of spectacle wear within the entire Army-rated aviation population for the years 1986-1989 as a baseline for future discussions regarding avionics/spectacle incompatibilities.

#### Methods

As of 2d Quarter FY 90, the AEDR contained approximately 160,000 records from over 61,000 individuals. The medical information is taken from Flying Duty Medical Examinations (FDME) which are recorded on Standard Form (SF) 88 (Report of Physical Examination), SF 93 (Report of Medical History), SF 520 (Electrocardiographic Record), and an auxiliary form relating risk factors, family history, and flight experience. Medical transcribers enter the data from these forms into the AEDR database; each record is entered twice to minimize transcription errors. A record is composed of 178 fields containing administrative data, patient medical history with physician's comments, screened test results, physical findings, health risk factors, anthropometric measurements, vision data, diagnoses, and dispositions. It should be noted that each medical Standard Form mentioned above is not always submitted with every FDME. Therefore, some data are not available on every medical examination.

The data for this study were gathered from the AEDR by class of physical examinations and divided into four separate calendar years: 1986, 1987, 1988, and 1989. The data reflects information for each of these years for each major Army component (that is, active duty, reserve, and national guard), age distribution, classes of physical examinations and some ICD9 codes (International Classification of Diseases, Clinical Modification, 9th Revision) pertaining to vision.

Data from the classes of physical examinations were from two primary types: Class 1 and class 2. Class 1 physicals consist of two subcategories: Class 1 and 1A FDMEs. Class 1 FDMEs are used for entry into Army flight training for enlisted and



civilian personnel, and class 1As are for officer personnel entering flight training. Class 2 physicals are aviators' annual FDMEs after becoming rated pilots. These annual or periodic physicals also have two subcategories: Class 2 and 2A FDMEs. The class 2 is a standard annual FDME, while the 2A is an abbreviated or shorter version. Hence, some data entries were gathered on an alternate year basis. The class 2A is required for the aviator on even age years up to 34. After age 34, aviators receive a full class 2 FDME every year.

The principal AEDR variable (or computer search "flag") for determining if a person wore spectacles was titled 'Glasses.' If a physical (either the class 2 SF 88, or an abbreviated class 2A DA Form 4497-R) had any visual information in the 'corr. to 20/\_\_\_' field for either far or near vision, it was interpreted by the medical transcribers entering the data into the AEDR that the individual wore spectacles. Therefore, a '2' was assigned to the AEDR glasses variable, meaning spectacles were worn. A '1' was assigned if no visual information was in the 'corr. to 20/\_\_\_' block. Since the variable was obtained from both class 2 and 2A FDMEs, it is unlikely that any spectacle wearers were overlooked by this flag system. However, it is possible that an aviator might have had more than one class 2 physical within a year, causing an error of overestimation. If present, this error was likely very small because of the large population (approximately 12,000 to 14,000) compared to the small number of possible duplications (less than 1 percent, or 120). The vision data were taken from the AEDR database using a utility computer program which reads the database into a SPSS-X\* control language structure.

ICD9 coding has been used in the database only since October 1988. This coding immensely expands the utility of the AEDR because records can now be coded for diagnoses, diseases, corrective procedures, and medications. This also means that visual abnormalities are coded. As a result, selected ICD9 codes were extracted for calendar year 1989 only, as a means of documenting prevalence of presbyopia within the Army aviator population.

### Results and discussion

The results from the AEDR extract regarding wearing of spectacles are presented in a series of figures and tables. The first series of figures presents the three major Army components (active duty, reserve, and national guard) by year (1986-89) and depicts the percent of those individuals who wore spectacles.

#### Active component

Figure 1 illustrates percentages of active duty aviators wearing spectacles for the years indicated. The percentages

remain fairly constant over the 4 years. The total number of active duty aviators within the AEDR for the 4 years also remained somewhat constant. The totals were 13,410 (1986), 14,237 (1987), 12,038 (1988), and 14,352 (1989). A crosscheck of the 1989 result (22 percent) was performed by comparing it with the AEDR refraction fields of the SF 88 (block 60). The percentages were very similar.




Figure 1. Percent of active duty aviators wearing spectacles for years 1986-1989

The mean age for active duty aviators in 1989 was 33 years (see Appendix B). The mean age for those aviators without glasses was 31 (see Appendix D). The mean age for aviators with glasses was 38 (see Appendix C). Mean ages for 1988, both with and without glasses were similar. An interesting observation resulted from reviewing the age distribution for the active duty aviators: it is largely bimodal. The first modal peak occurs at the 27-30 age group, and the second peak occurs at the 39-41 age group.

## Comparison to earlier data

From the AFDR data shown in Figure 1, the major conclusion is that, over the last 4 years, almost a quarter of Army active duty aviators have worn spectacles at their annual FDMES. The 18 percent spectacle wear prevalence figure, quoted by Bachman (1989) likely was based on information extracted from both class 1 (flight entry applicants) physicals and class 2 (rated aviators) physicals, thereby underdocumenting the actual prevalence. Data in Figure 1 denotes only class 2 aviators (i.e., rated pilots only).

Table 1 depicts the percentages of flight applicants (class 1 or 1A physicals) by component and year who wore spectacles when they applied for flight training. Caution should be exercised toward interpreting Table 1. The percentages indicated are for those who applied, not merely for those who were admitted into flight training. In addition, as a manner of medical policy, applicants' class 1/1A flight physicals are repeated at Fort Rucker when they begin flight training. Consequently, most applicants who were accepted into flight training would have had two class 1/1A physicals. The low spectacle wear percentage indicated by the class 1 and 1A FDMES likely had a major effect on earlier attempts at quantifying the aviation population's spectacle wear prevalence (Price, 1985).

Table 1.  
Percentages of flight applicants wearing  
spectacles by component  
from 1986-1989.

	1986	1987	1988	1989
Active duty	5% N=2956	7% N=7312	3% N=4076	2% N=4423
Reserve	7% N=268	7% N=775	5% N=348	6% N=263
National guard	6% N=686	7% N=1696	5% N=1033	5% N=949

### Army reserve

Figure 2 represents the percentage of reserve personnel who wore glasses for the years 1986-1989. The total number of reserve aviators' class 2/2A FDMES by year was: 1986 (1,949),

1987 (2,578), 1988 (2,211), and 1989 (2,237). The mean age for Army reserve aviators in 1989 was about 35 years (Appendix E). The mean age for those reserve aviators without glasses was 33. The mean age for reserve aviators with glasses was 41. Mean ages for 1988, both with and without glasses were similar. The age distribution for reserve aviators also is bimodal, with the first modal peak at the 26-30 group and the second at the 39-43 group. From the data presented, it appears about a quarter or more reserve aviators have worn spectacles at their annual FDME.




Figure 2. Percent of reserve aviators wearing spectacles for the years 1986-1989

#### National guard

The last component to be discussed regarding annual FDMEs is the national guard. The total number of class 2/2A FDMEs for national guard aviators within the AEDR for the 4 years was relatively consistent: 5,137 (1986), 5,726 (1987), 5,562 (1988),

and 6,759 (1989). Unlike the active duty and reserve pilots, there appears to be a noticeable percentage increase of aviators wearing spectacles from 1986 through 1989 (Figure 3).

The mean age for national guard aviators was 37 years (Appendix H). The mean age for aviators without glasses was 35. The mean age for those aviators with glasses was 42. Mean ages for 1988, both with and without glasses were similar. The age distribution of national guard aviators also trends to be bimodal, with the first modal peak at about 28 and the second at about 42. The AEDR data portrays about one-third of the national guard aviators as wearing spectacles when taking the annual FDME. This percentage steadily increased over the 4 years analyzed.




Figure 3. Percent of national guard aviators wearing spectacles from 1986-1989

#### Presbyopia prevalence

In addition to identifying the number of aviators who wore

spectacles, this study sought to determine the number of aviators for the calendar year 1989 who had a presbyopic condition (i.e., need to wear bifocals or reading glasses). Such information would be valuable to planners because the practical application of bifocal contact lenses is still on the frontier of applied research programs. Consequently, presbyopic aviators will necessarily be "married" to their spectacle correction in the future. Therefore, engineering and design solutions to spectacle incompatibility problems will have ultimate importance in keeping the older, experienced aviator in the cockpit.

The ICD9 code 3674 is assigned to individuals who have vision measurements worse than 20/20 in the 'near vision block' of the medical forms and who are over 40. Individuals less than age 40 are coded differently. Admittedly, this process is arbitrary and based on ophthalmological input during the developmental phase of the AEDR. Although the true number of presbyopes may be slightly different than indicated here, this system should provide a close estimate of the number of aviators dependent upon a near correction. The 3674 code is interpreted to mean that the individual is presbyopic. In 1989, there were over 14,000 active duty annual FDMes. Of these, slightly over 1,100 had an ICD9 code of 3674. This means that approximately 8 percent of active duty aviators in 1989 probably had a near vision correction of some type. The personnel identified with the 3674 code normally had other vision related medical codes. For example, of the 1,100 coded 3674, almost half were also coded 3671 (myopia). Table 2 below depicts percentages of presbyopia for each component for 1989 only.

Table 2.  
Percentages of components exhibiting  
presbyopia for 1989

Active duty N=14352	8%
Reserve N=2237	15%
National guard N=6759	20%

These data are functionally significant. If correct, then approximately 36 percent (8 percent divided by 22 percent) of active component aviators wearing spectacles were presbyopic and cannot be helped by current contact lens research programs. The reserve and national guard components are faced with even greater percentages (53 percent and 57 percent, respectively). Clearly, any type of routine contact lens program would not include a

liberal segment of the overall aviation population. System planners currently are faced with a significant problem. However, in light of age distribution data indicating a bimodal pattern, the percentage of presbyopic aviators will drop off in the next few years. But, with a second age peak moving forward, this same situation will resurface 10 to 12 years from now unless systems designers are prepared. The use of the AEDR in tracking such indicators will provide vital assistance to aviation system planners.

### Summary

The overall purpose of this study was to identify spectacle usage of Army aviators within each of the three major components (active duty, reserve, and national guard) from 1986 through 1989. Prior to this year, information regarding aviator spectacle use within DoD was somewhat limited. Only recently have any numbers and percentages been published.

The AEDR is a computerized database of aviation flight physical examinations; it contains extensive information regarding vision, including ICD9 coding. From the analysis of the AEDR data, approximately 22 percent of active duty aviators wore spectacles. This percentage held constant from 1986 through 1989. The reserve aviator data were somewhat higher--slightly over 25 percent. For the national guard, the percentages were even higher--35 percent wore spectacles in 1989. The age distribution and mean age within each component for those wearing spectacles support the findings. Furthermore, the age distributions for each component are bimodal, indicating a changing manpower pattern over time.

Presbyopic data (1989 only) also were analyzed for each component utilizing ICD9 codes. Approximately 8 percent of the active duty aviators had presbyopia, compared to 15 percent for reserve aviators and 20 percent for national guard aviators. These figures translate to an even higher percentage of spectacle wearers being presbyopic and for a potentially major impact on design and engineering programs for the future.

## References

- Bachman, W. G. 1985. Extended-wear soft and rigid contact lenses: operational evaluation among Army aviators. A study-specific protocol. 1985.
- Bachman, W. G. 1989. Extended-wear soft and rigid contact lenses: operational evaluation among Army aviators. Fort Rucker, AL: United States Army Aeromedical Research Laboratory. USAARL Report No. 88-17.
- Department of the Air Force. 1989. Implementation plan, 89-73. Bolling Air Force Base, DC: SG. Subject: USAF Contact Lens Implementation Plan (89-73).
- Department of Health and Human Services. 1989. International classification of diseases, clinical modification, 9th revision, 3rd ed. Washington, DC.
- Lattimore, M. R. 1988. The use of disposable extended wear soft contact lenses in the Fort Rucker AH-64 aviation environment. A study-specific protocol. 27 October, 1988.
- Lattimore, M. R. and Cornum, R.E. 1989. The use of extended wear contact lenses in the AH-64 aviation environment: An Army-wide study. A study-specific research protocol. 28 August, 1989.
- Miller, R. E., O'Neal, M. R., Woessner, W. M., Dennis, R. J., and Green, R. P. 1990. The prevalence of spectacle wear and incidence of refractive error in USAF aircrew. Brooks Air Force Base, TX: USAF School of Aerospace Medicine. USAFSAM-TR-89-28.
- National Research Council. 1990. Contact lens use under adverse conditions: applications in military aviation. Washington: National Academy Press.
- Price, D. R. 1985. Refractive status of rated Army aviators. Presentation to the Army Science Conference.



## Appendix A

### Manufacturers' List

SPSS Inc.  
444 N. Michigan Avenue  
Chicago, IL 60611

Appendix B

1989 age distribution for  
all active duty pilots

Age	Frequency	Percent	Cum Percent
17	1	.0	.0
18	8	.1	.1
19	31	.2	.3
20	60	.4	.7
21	131	.9	1.6
22	211	1.5	3.1
23	417	2.9	6.0
24	615	4.3	10.3
25	724	5.0	15.4
26	780	5.4	20.8
27	809	5.6	26.5
28	838	5.8	32.3
29	826	5.8	38.1
30	760	5.3	43.4
31	701	4.9	48.3
32	577	4.0	52.3
33	566	3.9	56.3
34	521	3.6	59.9
35	519	3.6	63.5
36	530	3.7	67.2
37	510	3.6	70.8
38	571	4.0	74.8
39	654	4.6	79.3
40	611	4.3	83.6
41	595	4.1	87.8
42	496	3.5	91.2
43	300	2.1	93.3
44	255	1.8	95.1
45	220	1.5	96.6
46	145	1.0	97.6
47	103	.7	98.4
48	77	.5	98.9
49	50	.3	99.3
50	32	.2	99.5
51	26	.2	99.7
52	22	.2	99.8
53	9	.1	99.9
54-58	18	.2	99.9
.	33	.2	Missing
TOTAL	<u>14352</u>	<u>100.0</u>	<u>100.0</u>
MEAN 32.88	STD DEV 6.89		

### Appendix C

#### 1989 age distribution for active duty pilots with glasses

Age	Frequency	Percent	Cum Percent
18	2	.1	.1
20	3	.1	.2
21	6	.2	.4
22	14	.4	.8
23	40	1.3	2.1
24	49	1.6	3.7
25	81	2.6	6.3
26	92	2.9	9.2
27	87	2.8	12.0
28	86	2.8	14.8
29	97	3.1	17.9
30	85	2.7	20.6
31	80	2.6	23.2
32	80	2.6	25.7
33	82	2.6	28.4
34	79	2.5	30.9
35	81	2.6	33.5
36	108	3.5	36.9
37	96	3.1	40.0
38	126	4.0	44.1
39	155	5.0	49.0
40	165	5.3	54.3
41	228	7.3	61.6
42	237	7.6	69.2
43	181	5.8	75.0
44	156	5.0	80.1
45	175	5.6	85.7
46	125	4.0	89.7
47	91	2.9	92.6
48	75	2.4	95.0
49	50	1.6	96.6
50	31	1.0	97.6
51	26	.8	98.4
52	22	.7	99.1
53	9	.3	99.4
54-58	18	.5	99.9
.	3	.1	Missing
TOTAL	3121	100.0	100.0
MEAN 38.07	STD DEV 7.41		

# Appendix D

## 1989 age distribution for active duty pilots without glasses

Age	Frequency	Percent	Cum Percent
17	1	.0	.0
18	6	.1	.1
19	31	.3	.3
20	57	.5	.9
21	125	1.1	2.0
22	197	1.8	3.7
23	377	3.4	7.1
24	566	5.0	12.2
25	642	5.7	17.9
26	688	6.1	24.0
27	721	6.4	30.5
28	752	6.7	37.2
29	728	6.5	43.7
30	674	6.0	49.7
31	621	5.5	55.3
32	497	4.4	59.7
33	484	4.3	64.1
34	442	3.9	68.0
35	438	3.9	71.9
36	422	3.8	75.7
37	413	3.7	79.4
38	444	4.0	83.3
39	499	4.4	87.8
40	444	4.0	91.8
41	367	3.3	95.0
42	259	2.3	97.4
43	118	1.1	98.4
44	98	.9	99.3
45	44	.4	99.7
46	20	.2	99.9
47	12	.1	100.0
48	2	.0	100.0
50	1	.0	100.0
.	29	.2	Missing
TOTAL	<u>11219</u>	<u>100.0</u>	<u>100.0</u>
MEAN 31.43	STD DEV 5.98		

Appendix E

1989 age distribution for all reserve pilots

Age	Frequency	Percent	Cum Percent
19	3	.1	.1
20	16	.7	.9
21	8	.4	1.2
22	28	1.3	2.5
23	44	2.0	4.4
24	80	3.6	8.0
25	72	3.2	11.2
26	119	5.3	16.6
27	92	4.1	20.7
28	120	5.4	26.1
29	123	5.5	31.6
30	104	4.6	36.2
31	72	3.2	39.5
32	60	2.7	42.1
33	53	2.4	44.5
34	63	2.8	47.3
35	59	2.6	50.0
36	65	2.9	52.9
37	72	3.2	56.1
38	58	2.6	58.7
39	115	5.1	63.9
40	139	6.2	70.1
41	145	6.5	76.6
42	116	5.2	81.8
43	107	4.8	86.6
44	85	3.8	90.4
45	62	2.8	93.1
46	44	2.0	95.1
47	22	1.0	96.1
48	18	.8	96.9
49	12	.5	97.4
50	12	.5	98.0
51	7	.3	98.3
52	11	.5	98.8
53	10	.4	99.2
54-59	17	.7	99.9
.	4	.2	Missing
TOTAL	<u>2237</u>	<u>100.0</u>	<u>100.0</u>
MEAN 35.08	STD DEV 7.73		

Appendix F

1989 age distribution for reserve pilots  
with glasses

Age	Frequency	Percent	Cum Percent
20	2	.3	.3
21	1	.2	.5
22	3	.5	.9
23	2	.3	1.3
24	10	1.6	2.8
25	7	1.1	4.0
26	9	1.4	5.4
27	10	1.6	7.0
28	9	1.4	8.4
29	10	1.6	10.0
30	14	2.2	12.2
31	11	1.7	13.9
32	6	.9	14.9
33	8	1.3	16.1
34	6	.9	17.1
35	9	1.4	18.5
36	12	1.9	20.4
37	17	2.7	23.1
38	10	1.6	24.7
39	34	5.4	30.1
40	45	7.1	37.2
41	66	10.4	47.6
42	45	7.1	54.7
43	47	7.4	62.2
44	52	8.2	70.4
45	47	7.4	77.8
46	34	5.4	83.2
47	20	3.2	86.4
48	18	2.8	89.2
49	12	1.9	91.1
50	12	1.9	93.0
51	7	1.1	94.1
52	11	1.7	95.9
53	10	1.6	97.5
54-59	16	2.6	100.0
TOTAL	<u>632</u>	<u>100.0</u>	<u>100.0</u>
MEAN 40.92	STD DEV 7.17		

Appendix G

1989 age distribution for reserve pilots  
without glasses

Age	Frequency	Percent	Cum Percent
19	3	.2	.2
20	14	.9	1.1
21	7	.4	1.5
22	25	1.6	3.1
23	42	2.6	5.7
24	70	4.4	10.1
25	65	4.0	14.1
26	110	6.9	21.0
27	82	5.1	26.1
28	111	6.9	33.0
29	113	7.0	40.1
30	90	5.6	45.7
31	61	3.8	49.5
32	54	3.4	52.9
33	45	2.8	55.7
34	57	3.6	59.3
35	50	3.1	62.4
36	53	3.3	65.7
37	55	3.4	69.1
38	48	3.0	72.1
39	81	5.0	77.2
40	94	5.9	83.1
41	79	4.9	88.0
42	71	4.4	92.4
43	60	3.7	96.2
44	33	2.1	98.3
45	15	.9	99.2
46	10	.6	99.8
47	2	.1	99.9
56	1	.1	100.0
.	4	.2	Missing
TOTAL	<u>1605</u>	<u>100.0</u>	<u>100.0</u>
MEAN 32.78	STD DEV 6.65		

Appendix H

1989 age distribution for all national  
guard pilots

Age	Frequency	Percent	Cum Percent
17	1	.0	.0
18	2	.0	.0
19	3	.0	.1
20	8	.1	.2
21	12	.2	.4
22	35	.5	.9
23	67	1.0	1.9
24	140	2.1	4.0
25	181	2.7	6.7
26	204	3.0	9.7
27	253	3.7	13.4
28	271	4.0	17.5
29	288	4.3	21.7
30	235	3.5	25.2
31	201	3.0	28.2
32	180	2.7	30.9
33	155	2.3	33.2
34	152	2.2	35.4
35	160	2.4	37.8
36	150	2.2	40.0
37	201	3.0	43.0
38	256	3.8	46.8
39	375	5.5	52.3
40	446	6.6	59.0
41	596	8.8	67.8
42	500	7.4	75.2
43	380	5.6	80.8
44	312	4.6	85.5
45	229	3.4	88.9
46	168	2.5	91.4
47	111	1.6	93.0
48	87	1.3	94.3
49	71	1.1	95.3
50	53	.8	96.1
51	61	.9	97.0
52	45	.7	97.7
53	31	.5	98.2
54	32	.5	98.6



Appendix H (continued)

Age	Frequency	Percent	Cum Percent
55	24	.4	99.0
56	25	.4	99.4
57	18	.3	99.6
58	15	.2	99.9
59	6	.1	99.9
60	1	.0	100.0
62	1	.0	100.0
63	1	.0	100.0
67	1	.0	100.0
.	15	.2	Missing
TOTAL	<u>6759</u>	<u>100.0</u>	<u>100.0</u>
MEAN 37.34	STD DEV 7.67		

Appendix I

1989 age distribution for national  
guard pilots with glasses

Age	Frequency	Percent	Cum Percent
21	2	.1	.1
22	1	.0	.1
23	5	.2	.3
24	13	.6	.9
25	20	.8	1.7
26	23	1.0	2.7
27	34	1.4	4.2
28	33	1.4	5.6
29	28	1.2	6.8
30	44	1.9	8.6
31	36	1.5	10.2
32	33	1.4	11.6
33	19	.8	12.4
34	30	1.3	13.7
35	32	1.4	15.0
36	38	1.6	16.6
37	48	2.0	18.7
38	51	2.2	20.8
39	84	3.6	24.4
40	128	5.4	29.9
41	192	8.2	38.0
42	206	8.7	46.8
43	186	7.9	54.7
44	217	9.2	63.9
45	169	7.2	71.1
46	140	5.9	77.1
47	96	4.1	81.2
48	76	3.2	84.4
49	64	2.7	87.1
50	48	2.0	89.2
51	60	2.5	91.7
52	45	1.9	93.6
53	29	1.2	94.9
54	29	1.2	96.1
55	24	1.0	97.1
56	25	1.1	98.2
57	18	.8	98.9
58	15	.6	99.6
59	6	.3	99.8
60-67	4	.2	99.9
.	4	.2	Missing
TOTAL	<u>2355</u>	<u>100.0</u>	<u>100.0</u>
MEAN 42.32	STD DEV 6.99		

# Appendix J

## 1989 age distribution for national guard pilots without glasses

Age	Frequency	Percent	Cum Percent
17	1	.0	.0
18	2	.0	.1
19	3	.1	.1
20	8	.2	.3
21	10	.2	.5
22	34	.8	1.3
23	62	1.4	2.7
24	127	2.9	5.6
25	161	3.7	9.3
26	181	4.1	13.4
27	219	5.0	18.4
28	238	5.4	23.8
29	260	5.9	29.7
30	191	4.3	34.1
31	165	3.7	37.9
32	147	3.3	41.2
33	136	3.1	44.3
34	122	2.8	47.1
35	128	2.9	50.0
36	112	2.5	52.6
37	151	3.4	56.0
38	205	4.7	60.7
39	291	6.6	67.3
40	318	7.2	74.5
41	403	9.2	83.7
42	294	6.7	90.4
43	194	4.4	94.8
44	95	2.2	97.0
45	60	1.4	98.4
46	28	.6	99.0
47	15	.3	99.3
48	11	.2	99.6
49	7	.2	99.7
50	5	.1	99.9
51	1	.0	99.9
53	2	.0	99.9
54	3	.1	100.0
.	11	.2	Missing
TOTAL	4401	100.0	100.0
MEAN 34.67	STD DEV 6.61		

## Initial distribution

Commander U.S. Army Natick Research,  
Development and Evaluation Center  
ATTN: STRNC-MIL (Documents Librarian)  
Natick, MA 01760-5040

Commander U.S. Army Research  
Institute of Environmental  
Medicine  
Natick, MA 01760

Naval Submarine Medical  
Research Laboratory  
Medical Library, Naval Sub Base  
Box 900  
Groton, CT 06340

U.S. Army Avionics Research  
and Development Activity  
ATTN: SAVAA-P-TP  
Fort Monmouth, NJ 07703-5401

Commander/Director  
U.S. Army Combat Surveillance  
and Target Acquisition Lab  
ATTN: DELCS-D  
Fort Monmouth, NJ 07703-5304

U.S. Army Communications-Electronics  
Command  
ATTN: AMSEL-RD-ESA-D  
Fort Monmouth, NJ 07703

Commander  
10th Medical Laboratory  
ATTN: Audiologist  
APO New York 09180

Library  
Naval Submarine Medical Research Lab  
Box 900, Naval Sub Base  
Groton, CT 06349-5900

Naval Air Development Center  
Technical Information Division  
Technical Support Detachment  
Warminster, PA 18974

Commander  
Man-Machine Integration System  
Code 602  
Naval Air Development Center  
Warminster, PA 18974

Commanding Officer Naval Medical  
Research and Development Command  
National Naval Medical Center  
Bethesda, MD 20814-5044

Commander  
Naval Air Development Center  
ATTN: Code 602-B (Mr. Brindle)  
Warminster, PA 18974

Deputy Director, Defense Research  
and Engineering  
ATTN: Military Assistant  
for Medical and Life Sciences  
Washington, DC 20301-3080

Commanding Officer  
Harry G. Armstrong Aerospace  
Medical Research Laboratory  
Wright-Patterson  
Air Force Base, OH 45433

Director  
Army Audiology and Speech Center  
Walter Reed Army Medical Center  
Washington, DC 20307-5001

Commander U.S. Army Institute  
of Dental Research  
ATTN: Jean A. Setterstrom, Ph. D.  
Walter Reed Army Medical Center  
Washington, DC 20307-5300

Naval Air Systems Command  
Technical Air Library 950D  
Room 278, Jefferson Plaza II  
Department of the Navy  
Washington, DC 20361

Naval Research Laboratory Library  
Shock and Vibration  
Information Center, Code 5804  
Washington, DC 20375

Director U.S. Army Human  
Engineering Laboratory  
ATTN: Technical Library  
Aberdeen Proving Ground, MD 21005-5001

Commander U.S. Army Test  
and Evaluation Command  
ATTN: AMSTE-AD-H  
Aberdeen Proving Ground, MD 21005-5055

Director  
U.S. Army Ballistic  
Research Laboratory  
ATTN: DRXBR-OD-ST Tech Reports  
Aberdeen Proving Ground, MD 21005-5066

Commander  
U.S. Army Medical Research  
Institute of Chemical Defense  
ATTN: SGRD-UV-AO  
Aberdeen Proving Ground,  
MD 21010-5425

Commander U.S. Army Medical  
Research and Development Command  
ATTN: SGRD-RMS (Ms. Madigan)  
Fort Detrick, Frederick, MD 21702-5012

Director  
Walter Reed Army Institute of Research  
Washington, DC 20307-5100

HQ DA (DASG-PSP-O)  
5109 Leesburg Pike  
Falls Church, VA 22041-3258

Naval Research Laboratory  
Library Code 1433  
Washington, DC 20375

Harry Diamond Laboratories  
ATTN: Technical Information Branch  
2800 Powder Mill Road  
Adelphi, MD 20783-1197

U.S. Army Materiel Systems  
Analysis Agency  
ATTN: AMXSY-PA (Reports Processing)  
Aberdeen Proving Ground  
MD 21005-5071

U.S. Army Ordnance Center  
and School Library  
Simpson Hall, Building 3071  
Aberdeen Proving Ground, MD 21005-5201

Headquarters (ATMD)  
U.S. Army Training  
and Doctrine Command  
Fort Monroe, VA 23651

U.S. Army Environmental Hygiene Agency  
Building E2100  
Aberdeen Proving Ground, MD 21010

Structures Laboratory Library  
USARTL-AVSCOM  
NASA Langley Research Center  
Mail Stop 266  
Hampton, VA 23665

Technical Library Chemical Research  
and Development Center  
Aberdeen Proving Ground, MD 21010-5423

Naval Aerospace Medical  
Institute Library  
Building 1953, Code 03L  
Pensacola, FL 32508-5600

Commander  
U.S. Army Medical Research  
Institute of Infectious Disease  
SGRD-UIZ-C  
Fort Detrick, Frederick, MD 21702

Command Surgeon  
HQ USCENTCOM (CCSG)  
U.S. Central Command  
MacDill Air Force Base FL 33608

Director, Biological  
Sciences Division  
Office of Naval Research  
600 North Quincy Street  
Arlington, VA 22217

Air University Library  
(AUL/LSE)  
Maxwell Air Force Base, AL 36112

Commander  
U.S. Army Materiel Command  
ATTN: AMCDE-XS  
5001 Eisenhower Avenue  
Alexandria, VA 22333

U.S. Air Force Institute  
of Technology (AFIT/LDEE)  
Building 640, Area B  
Wright-Patterson  
Air Force Base, OH 45433

Commandant  
U.S. Army Aviation  
Logistics School ATTN: ATSQ-TDN  
Fort Eustis, VA 23604

Henry L. Taylor  
Director, Institute of Aviation  
University of Illinois-Willard Airport  
Savoy, IL 61874

COL Craig L. Urbauer, Chief  
Office of Army Surgeon General  
National Guard Bureau  
Washington, DC 50310-2500

University of Michigan  
NASA Center of Excellence in Man-  
Systems Research  
ATTN: R. G. Snyder, Director  
Ann Arbor, MI 48109

Commander  
U.S. Army Aviation Systems Command  
ATTN: SGRD-UAX-AL (MAJ Lacy)  
4300 Goodfellow Blvd., Building 105  
St. Louis, MO 63120

John A. Dellinger,  
Southwest Research Institute  
P. O. Box 28510  
San Antonio, TX 78284

U.S. Army Aviation Systems Command  
Library and Information Center Branch  
ATTN: AMSAV-DIL  
4300 Goodfellow Boulevard  
St. Louis, MO 63120

Product Manager  
Aviation Life Support Equipment  
ATTN: AMCPM-ALSE  
4300 Goodfellow Boulevard  
St. Louis, MO 63120-1798

Federal Aviation Administration  
Civil Aeromedical Institute  
Library AAM-400A  
P.O. Box 25082  
Oklahoma City, OK 73125

Commander  
U.S. Army Aviation  
Systems Command  
ATTN: AMSAV-ED  
4300 Goodfellow Boulevard  
St. Louis, MO 63120

Commander  
U.S. Army Academy  
of Health Sciences  
ATTN: Library  
Fort Sam Houston, TX 78234

Commanding Officer  
Naval Biodynamics Laboratory  
P.O. Box 24907  
New Orleans, LA 70189-0407

Commander  
U.S. Army Institute of Surgical Research  
ATTN: SGRD-USM (Jan Duke)  
Fort Sam Houston, TX 78234-6200

Assistant Commandant  
U.S. Army Field Artillery School  
ATTN: Morris Swott Technical Library  
Fort Sill, OK 73503-0312

AAMRL/HEX  
Wright-Patterson  
Air Force Base, OH 45433

Commander  
U.S. Army Health Services Command  
ATTN: HSOP-SO  
Fort Sam Houston, TX 78234-6000

Director of Professional Services  
HQ USAF/SGDT  
Boeing Air Force Base, DC 20332-6188

Commander  
U.S. Army Aeromedical Center  
Fort Rucker, AL 36362

U.S. Army Dugway Proving Ground  
Technical Library, Building 5330  
Dugway, UT 84022

U.S. Air Force School  
of Aerospace Medicine  
Strughold Aeromedical Library Technical  
Reports Section (TSKD)  
Brooks Air Force Base, TX 78235-5301

U.S. Army Yuma Proving Ground  
Technical Library  
Yuma, AZ 85364

Dr. Diane Damos  
Department of Human Factors  
ISSM, USC  
Los Angeles, CA 90089-0021

AFFTC Technical Library  
6510 TW/TSTL  
Edwards Air Force Base,  
CA 93523-5000

U.S. Army White Sands  
Missile Range  
ATTN: STEWS-IM-ST  
White Sands Missile Range, NM 88002-  
5030

Commander  
Code 3431  
Naval Weapons Center  
China Lake, CA 93555

U.S. Army Aviation Engineering  
Flight Activity  
ATTN: SAVTE-M (Tech Lib) Stop 217  
Edwards Air Force Base, CA 93523-5000

Aeromechanics Laboratory  
U.S. Army Research and Technical Labs  
Ames Research Center, M/S 215-1  
Moffett Field, CA 94035

Ms. Sandra G. Hart  
Ames Research Center  
MS 262-3  
Moffett Field, CA 94035

Sixth U.S. Army  
ATTN: SMA  
Presidio of San Francisco, CA 94129

Commander Letterman Army Institute  
of Research  
ATTN: Medical Research Library  
Presidio of San Francisco, CA 94129



Mr. Frank J. Stagnaro, ME  
Rush Franklin Publishing  
300 Orchard City Drive  
Campbell, CA 95008

MAJ John Wilson  
TRADOC Aviation LO  
Embassy of the United States  
APO New York 09777

Commander  
U.S. Army Medical Materiel  
Development Activity  
Fort Detrick, Frederick, MD 21702-5009

Netherlands Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Commander  
U.S. Army Aviation Center  
Directorate of Combat Developments  
Building 507  
Fort Rucker, AL 36362

British Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

U. S. Army Research Institute  
Aviation R&D Activity  
ATTN: PERI-IR  
Fort Rucker, AL 36362

Italian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Commander  
U.S. Army Safety Center  
Fort Rucker, AL 36362

Directorate of Training Development  
Building 502  
Fort Rucker, AL 36362

U.S. Army Aircraft Development  
Test Activity  
ATTN: STEBG-MP-P  
Cairns Army Air Field  
Fort Rucker, AL 36362

Chief  
USAHEL/USAAVNC Field Office  
P. O. Box 716  
Fort Rucker, AL 36362-5349

Commander U.S. Army Medical Research  
and Development Command  
ATTN: SGRD-PLC (COL Sedge)  
Fort Detrick, Frederick, MD 21702

Commander U.S. Army Aviation Center  
and Fort Rucker  
ATTN: ATZQ-CG  
Fort Rucker, AL 36362

Commander/President  
TEXCOM Aviation Board  
Cairns Army Air Field  
Fort Rucker, AL 36362

Dr. Garrison Rapmund  
6 Burning Tree Court  
Bethesda, MD 20817

Dr. William E. McLean  
Human Engineering Laboratory  
ATTN: SLCHE-BR  
Aberdeen Proving Ground,  
MD 21005-5001

Commandant Royal Air Force  
Institute of Aviation Medicine  
Farnborough Hants UK GU14 6SZ

Canadian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Dr. A. Kornfield, President  
Biosearch Company  
3016 Revere Road  
Drexel Hill, PA 29026

German Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Commander  
U.S. Army Biomedical Research  
and Development Laboratory  
ATTN: SGRD-UBZ-I  
Fort Detrick, Frederick, MD 21702

LTC Patrick Laparra  
French Army Liaison Office  
USAAVNC (Building 602)  
Fort Rucker, AL 36362-5021

Defense Technical Information Center  
Cameron Station  
Alexandra, VA 22313

Brazilian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Commander, U.S. Army Foreign Science  
and Technology Center  
AIFRTA (Davis)  
220 7th Street, NE  
Charlottesville, VA 22901-5396

Australian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Director,  
Applied Technology Laboratory  
USARTL-AVSCOM  
ATTN: Library, Building 401  
Fort Eustis, VA 23604

U.S. Army Training  
and Doctrine Command  
ATTN: Surgeon  
Fort Monroe, VA 23651-5000

Aviation Medicine Clinic  
TMC #22, SAAF  
Fort Bragg, NC 28305

U.S. Air Force Armament  
Development and Test Center  
Eglin Air Force Base, FL 32542

Commander, U.S. Army Missile Command  
Redstone Scientific  
Information Center (2)  
ATTN: AMSMI-RD-CS-R/ILL Documents  
Redstone Arsenal, AL 35898-5241

U.S. Army Research and Technology  
Laboratories (AVSCOM)  
Propulsion Laboratory MS 302-2  
NASA Lewis Research Center  
Cleveland, OH 44135

Dr. H. Dix Christensen  
Bio-Medical Science Building, Room 753  
Post Office Box 26901  
Oklahoma City, OK 73190